

Two-Ply Hydro Tex™

Protecting Your World from the Elements®

1. Product And Company Identification

Supplier

Fortifiber Building Systems Group
300 Industrial Drive
Fernley, NV 89408

Company Contact: Technical Services

Telephone Number: (800) 773-4777

Web Site: www.fortifiber.com

Product(s):

Two- Ply Hydro Tex™

Issue Date: 08/23/2018

Supersedes: 10/13/2015

Product Description

Two-Ply weather-resistive barrier consisting of one layer of asphalt saturated kraft paper and one layer of polymeric housewrap.

2. Hazards Identification

In the solid state the material is not considered a hazardous material as defined by 21 CFR 1910.1200 (b) (6) (v). This product meets the definition of an "Article" and is not subject to the regulations of the Hazardous Products Act.

Eye Hazards

N/A.

Skin Hazards

N/A.

Ingestion Hazards

Non-Toxic

Inhalation Hazards

N/A.

Signs and Symptoms of Exposure

None.

Medical Conditions Generally Aggravated by Exposure

None known.

3. Composition/Information On Ingredients

Ingredient Name	CAS Number	Percent Of Total Weight
Asphalt	8052-42-4	10-20
Polypropylene	9003-07-0	<50

Two-Ply Hydro Tex™

Protecting Your World from the Elements®

4. First Aid Measures

Eye

N/A.

Skin

N/A.

Ingestion

N/A.

Inhalation

N/A.

5. Fire Fighting Measures

Flash Point: >450°F

Auto Ignition Temperature: >450°F

Special Fire Fighting Instructions: The asphalt saturated paper requires that this product be treated as a fuel oil fire.

Method Used: Cleveland Cup.

Flammability Limits: LEL- Not Applicable.

Unusual Fire And Explosion: Hazards None. UEL – Not Applicable.

Extinguishing Media: Carbon Dioxide, Foam, Water, or Dry Chemical.

6. Accidental Release Measures

Not applicable for product in purchased form.

7. Handling And Storage

Safe Handling

Normal application will not expose the user of these articles to hazardous substance levels.

Safe Storage

Do not store near an open flame.

8. Exposure Controls/Personal Protection

Skin Protection

N/A.

Eye/Face Protection

N/A.

Ventilation

N/A.

Respiration Protection

N/A.

Two-Ply Hydro Tex™

Protecting Your World from the Elements®

9. Physical And Chemical Properties

Appearance: Two-ply product consisting of a black asphalt saturated kraft layer and a yellow polymeric layer.
Boiling Point: N/A.
Melting Point: N/A.
Specific Gravity: >1.
Vapor Pressure: N/A.
Vapor Density: N/A.
Solubility: Negligible.
Odor: Asphalt odor.

10. Stability And Reactivity

Stability: Stable
Conditions to Avoid: Fire.
Materials to Avoid: None known.
Hazardous Polymerization: Not anticipated under normal use.
Hazardous Decomposition: Not anticipated under normal use.
Thermal Decomposition (Combustion): May produce carbon monoxide, carbon dioxide and hydrogen sulfide fumes.

11. Toxicological Information

Chronic/Carcinogenicity
 None of the ingredients present in this product, at concentrations equal to or greater than 0.1%, have been determined to be carcinogenic by IARC, NTP or OSHA.

12. Ecological Information

There is no data on the ecotoxicity of this product. This product should not pose an ecological risk.

13. Disposal Considerations

Dispose in accordance with applicable federal, state and local government regulations.

14. Transport Information

Hazardous Material Proper Shipping Name: Not regulated by DOT.
Special Handling or Shipping Precautions: None required.
Hazard Class: Non-hazardous.
UN Identification Number: None.

15. Regulatory Information

SARA 313 Regulated Chemicals: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
Proposition 65: None of this products components are required to be labeled under California Proposition 65.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Asphalt 8052-42-4	X	X	X

16. Other Information

This SDS Supersedes A Previous Form Dated: 10/13/2015.

Disclaimer

Although reasonable care has been taken in the preparation of this document, Fortifiber extends no warranties and make no representations as to the accuracy or completeness of the information contained therein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purposes(s).