


1. DECK/SUBSTRATE AS SPECIFIED
2. **PUMADEQ PRIMER 20** OR **HENRY GC PRIMER**
3. **PUMADEQ FLEX 30SL** (50 MILS)
4. **PUMADEQ N-FLEECE**
5. **PUMADEQ FLEX 30SL** (30 MILS)
6. ROOT BARRIER
7. OPTIONAL DRAINAGE COMPOSITE
8. INSULATION
9. WATER RETENTION AND DRAINAGE COMPOSITE
10. OPTIONAL MOISTURE RETENTION FABRIC
11. FILTER FABRIC
12. GROWING MEDIA
13. VEGETATION  
(NOT SHOWN FOR CLARITY)



**NOTES:**

1. DETAIL SHOWS HENRY VEGETATIVE ROOFING WITH A **PUMADEQ** SYSTEM WATERPROOFING ASSEMBLY WITH A REINFORCED FIELD MEMBRANE. SUBSTRATE SHOWN IS FOR REFERENCE ONLY. REFER TO PRODUCT SPECIFIC TECHNICAL DATA SHEET FOR AUTHORIZED SUBSTRATES.
2. REFER TO **PUMADEQ** WATERPROOFING DETAILS FOR SYSTEM OPTIONS INCLUDING LONG-TERM COLOR STABILITY, HEAVY CONSTRUCTION TRAFFIC OR ASSEMBLIES WHERE OVERBURDEN BONDS DIRECTLY TO **PUMADEQ** SYSTEM.
3. DO NOT INSTALL **PUMADEQ** SYSTEM BEYOND PRIMED SURFACES.
4. DEPTH OF GROWING MEDIA MAY VARY DEPENDING ON PROJECT SPECIFIC REQUIREMENTS.
5. DETAIL IS FOR REFERENCE ONLY. REFER TO DESIGN PROFESSIONAL TO VERIFY WIND UPLIFT REQUIREMENTS.
6. REFER TO THE **PUMADEQ** SYSTEM GUIDE SPECIFICATION AND WATERPROOFING DETAILS FOR RECOMMENDED INSTALLATION PROCEDURES.

MANUFACTURER GUIDE DETAILS ARE FOR REFERENCE ONLY. HENRY DOES NOT ASSUME RESPONSIBILITY FOR ERRORS OR DEVIATIONS IN DESIGN OR ENGINEERING. PROJECT SPECIFIC VERIFICATION IS RECOMMENDED PRIOR TO INSTALLATION.

**VEGETATIVE ROOFING - PUMADEQ SYSTEM**

**SYSTEM DETAIL**

**REINFORCED FIELD MEMBRANE  
SURFACE PROFILES CSP 3-5**

SCALE: N.T.S.

06-01-2020

**VR-PUMA-R1A**

**Henry**<sup>®</sup>

999 N. Pacific Coast Hwy, Suite 800  
El Segundo, CA 90245  
800-486-1278 • www.henry.com