

Henry® commercial air barrier systems selection chart

	Primary air barrier membranes											Flashings		Sealants		Primers				
	Fluid applied							Self-adhered sheet †												
	Air-Bloc® All Weather STPE™	Air-Bloc® 17MR	Air-Bloc® 16MR	Air-Bloc® 21	Air-Bloc® 31MR	Air-Bloc® 32MR	Air-Bloc® 33MR	Blueskin® VP160	Blueskin® SA	Blueskin® SA LT	Metal Clad®	Air-Bloc LF®	Blueskin® Butyl Flash	Blueskin® TWF	Henry® 212 All Purpose Crystal Clear	Henry® 925 BES Sealant	Blueskin® Adhesive	Blueskin® LVC Adhesive	Blueskin® Spray Prep Adhesive	Aquatac™ Primer
Vapor permeable	•	•			•	•	•					•				•	•	•	•	
Vapor impermeable			•	•		•			•	•	•		•	•	•					
UV stable <i>For permanent exposure</i>	•					•				•		•		•	•					
Low application temperature <i>Lower than 40 °F (4 °C)</i>	•	•	•	•				•*		•*		•	•	•	•	•	•	•	•	•
Low VOC**	•	•	•		•	•	•	n/a	n/a	n/a	n/a	•	n/a	n/a	•		•			•
Self-gasketing	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•				
Mold resistant	•	•	•		•	•	•	n/a	n/a	n/a	n/a	•	n/a	n/a	•					
NFPA 285 compliance	§	§	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Declare label	•	•	•					•	•	•	•									

* Primer required

** VOC regulations do not apply to articles such as sheet applied membranes and flashings. VOCs are only measured in certain liquid products.

† Available in a variety of roll widths to also accommodate flashing applications

§ Meets 2015 IBC 1403.5 exception #2

Air permeance and durability:
Low air permeance per ASTM E2178 and ASTM E2357. Meet CAN/ULC S741 and S742 air permeance and long-term durability standards.

Self-gasketing:
Meet ASTM D1970 and AAMA 711 for sealing around fasteners, eliminating water penetration even after the exterior facade is installed.

Wall assembly fire test:
One of the industry's broadest lines of commercial air barriers that pass as part of various wall assemblies per NFPA 285. Air-Bloc All Weather STPE and Air-Bloc 17MR meet 2015 IBC 1403.5 exception #2.

Sustainable and environmental design benefits:
Contribute to sustainable design, energy efficiency and LEED credits, by utilizing durable, low-VOC air barriers. Health Product Declarations and Red List status information are available for transparency.

[Consult updated Technical Data Sheet for most recent information](#)

Henry, Blueskin, Air-Bloc, Metal Clad and Building Envelope Systems are registered trademarks of the Henry Company.

Ask us today about other Henry® solutions that help manage the flow of water, air, vapor and energy.

Building Envelope Systems®
Roofing | Air Barrier | Waterproofing