



Henry[®] Dundeq[™] System

A proven, two-part, seamless coating for pedestrian and vehicular traffic

Vehicular or pedestrian traffic surfaces, the Henry® Dundeq™ System provides seamless, fully-adhered, heavy-duty protection

Installed for over 20 years in high-traffic, heavy-duty parking deck applications, the Henry Dundeq System is a seamless, fully-adhered, durable waterproofing system for vehicular and pedestrian traffic surfaces. Part of the comprehensive Building Envelope Systems® portfolio from Henry Company, the Dundeq System provides an easy-to-apply, cost-effective traffic coating solution, while enhancing safety with an abrasion- and slip-resistant surface.

A significant step-up from standard one-coat systems, the Dundeq System provides greater building structure protection, and is backed by an industry-leading warranty of up to 10 years. The system is VOC-free and can be applied to green concrete for maximum work schedule efficiency.



Features & Benefits



Seamless, fully-adhered system helps ensure long-term durability



High-abrasion, slip-resistant surface enhances vehicular and pedestrian safety



Environmentally friendly, no VOCs



Low temp and green concrete application can help accelerate project scheduling




Up to 10-year warranty provides owners with enhanced peace of mind

Typical uses for Henry Dundeq System


- Parking decks
- Vehicular driving surfaces
- Pedestrian walkways and balconies
- Mechanical rooms

Pedestrian and vehicular system options

Standard system



Includes an optional wearcoat layer for increased durability



Henry® Dundeq™ System Selection Chart

Use the selection charts below to choose which Henry® Dundeq™ System is right for your application.

Pedestrian/Balcony System

Products		5 year warranty	10 year warranty
Primer <i>(Select one)</i>	Henry LV Primer – <i>typical applications</i>	●	●
	Henry ST Primer – <i>project specific applications*</i>	●	●
	Henry GC Primer – <i>green concrete and moisture mitigation applications</i>	●	●
Membrane	Henry Dundeq GP Flexcoat	●	●
Wearcoat	Henry GP Wearcoat		●
Topcoat <i>(Select one)</i>	Henry PU Topcoat – <i>non-UV resistant</i>	● [†]	● [†]
	Henry GP Topcoat – <i>UV resistant</i>	●	●

* For applications where Henry Dundeq GP Flexcoat will be installed more than 48 hours after primer installation; contact a Henry representative for more information.

† If your project does not call for UV resistance (i.e. indoor parking garages, mechanical rooms, etc), you can select Henry PU Topcoat in place of Henry GP Top Coat.

Vehicular System

Products		5 year warranty	10 year warranty
Primer <i>(Select one)</i>	Henry LV Primer – <i>typical applications</i>	●	●
	Henry ST Primer – <i>project specific applications*</i>	●	●
	Henry GC Primer – <i>green concrete and moisture mitigation applications</i>	●	●
Membrane	Henry Dundeq GP Flexcoat	●	●
Wearcoat	Henry GP Wearcoat		●
Topcoat <i>(Select one)</i>	Henry PU Topcoat – <i>non-UV resistant</i>	● [†]	● [†]
	Henry GP Topcoat – <i>UV resistant</i>	●	●

* For applications where Henry Dundeq GP Flexcoat will be installed more than 48 hours after primer installation; contact a Henry representative for more information.

† If your project does not call for UV resistance (i.e. indoor parking garages, mechanical rooms, etc), you can select Henry PU Topcoat in place of Henry GP Top Coat.

Henry® | **Building Envelope Systems®**
Roofing | Air Barrier | Waterproofing

Ask us today about other Henry® solutions that help manage the flow of water, air, vapor and energy.

Henry is a registered trademark of Henry Company