790-11EV Hot Rubberized Asphalt by Henry Company

CLASSIFICATION: 07 14 13.00

PRODUCT DESCRIPTION: 790-11EV IS AN ENVIRONMENTALLY FRIENDLY, HOT APPLIED, RUBBERIZED ASPHALT FORMULATED TO PROVIDE A MONOLITHIC FULLY BONDED ROOFING AND WATERPROOFING MEMBRANE. IT IS HOT POURED IN A SINGLE OR FABRIC REINFORCED APPLICATION. 790-11 EV IS COMPOSED OF A SPECIALLY SELECTED BLEND OF REFINED ASPHALTS, SYNTHETIC RUBBER AND MINERAL STABILIZERS AND CONTAINS AT LEAST 25% POST CONSUMER RECYCLED CONTENT. IT IS MODIFIED WITH ADDITIVES TO PROMOTE ADHESION AND IMPROVE LOW TEMPERATURE FLEXIBILITY.

Health Product Declaration v2.0

created via: HPDC Online Builder

Section 1: Summary

CONTENT

INVENTORY

Threshold per material • 100 ppm • 1,000 ppm • Per GHS SDS • Per OSHA MSDS

O Other

Based on the selected Content Inventory Threshold:

| impurities | Characterized | Ο | 0 |
|------------------------------------|--|-----|----|
| considered in | Are the Percent Weight and Role provided for all substances? | Yes | No |
| 1 of 1 materials | Screened | Ο | 0 |
| • see Section 2: Material Notes | Are all substances screened using Priority Hazard Lists with results disclosed? | Yes | No |
| See Section 5: General Notes | Identified | Ο | 0 |
| General Notes | Are all substances disclosed by Name (Specific or Generic) and Identifier? | Yes | No |

CONTENT IN DESCENDING ORDER OF QUANTITY

Residuals and

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals[®]. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

790-11 HOT RUBBERIZED ASPHALT [ASPHALT **LT-1** | CAN LIMESTONE; CALCIUM CARBONATE **LT-UNK** SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM DISTILLATES **LT-1** | CAN | MUL STYRENE BUTADIENE RUBBER (SBR) **LT-UNK** *QUARTZ* **LT-1** | CAN *SULFUR* **LT-UNK** | SKI] Number of Greenscreen BM-4/BM3 contents.......0

Contents highest concern GreenScreen Benchmark or List translator Score......LT-1 Nanomaterial......No

INVENTORY AND SCREENING NOTES:

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

 Material (g/l): 0
 Regulatory (g/l):

 Does the product contain exempt VOCs: No

 Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE

No certifications have been added to this HPD.

 Self-Published* VERIFIER:
 Third Party Verified VERIFICATION #: *See HPDC: website for details SCREENING DATE: January 29, 2017 RELEASE DATE: January 29, 2017

EXPIRY DATE*: January 29, 2020 * or within 3 months of significant change in product content This section lists materials in a product and the substances in each material based on the Inventory Threshold for each material. If residuals or impurities from the manufacturing or extraction processes are considered for a material, these are inventoried and characterized to the extent described in the Material and/or General Notes. Chemical substances are screened against the HPD Priority Hazard Lists for human and environmental health impacts. Screening is based on best available information; "Not Found" does not necessarily mean there is no potential hazard associated with the product or its contents. More information about Priority Hazard Lists and the GreenScreen can be found online: www.hpd-collaborative.org and www.greenscreenchemicals.org.

| D-11 HOT RUBBERIZED AS entory Threshold: 100 ppm terial Notes: | |) - 100.0000 HPD URL: onsidered: Yes | | | | |
|--|--|---|----------------------------|--------------------------------|--|--|
| ASPHALT | | ID: 8052-42-4 | | | | |
| %: 35.0000 - 55.0000 | GS: LT-1 | RC: None | NANO: NO | ROLE: Membrane layer | | |
| HAZARDS: | AGENCY(IES) WITH WARNINGS: | | | | | |
| CANCER | IARC | | Group 2b - Poss | sibly carcinogenic to humans | | |
| CANCER | US CDC - O | ccupational Carcinogens | Occupational Ca | arcinogen | | |
| CANCER | MAK Carcinogen Group 2 - Considered to be carcinogenic for man | | | | | |
| SUBSTANCE NOTES: T | his is not used for road | paving applications so it is no | ot considered a carcinogen | by IARC. | | |
| LIMESTONE; CALCIUM | CARBONATE | | ID: 1317-6 | 65-3 | | |
| %: 30.0000 - 40.0000 | GS: LT-UNK | RC: None | NANO: NO | ROLE: Filler/Film strengthener | | |
| HAZARDS: | AGENCY(IES) WITH WARNINGS: | | | | | |
| None Found | No warnings found on HPD Priority lists | | | | | |
| SUBSTANCE NOTES: | | | | | | |
| SOLVENT-DEWAXED H | EAVY PARAFFINIC PI | ETROLEUM DISTILLATES | ID: 64742 | -65-0 | | |
| %: 5.0000 - 10.0000 | GS: LT-1 | RC: None | NANO: NO | ROLE: Flexibility | | |
| HAZARDS: | | AGEN | CY(IES) WITH WARNINGS | S: | | |
| CANCER | EU - R-phrases | | R45 - May cause cancer | | | |
| | EU - GHS (H-Statements) | | | H350 - May cause cancer | | |

| MULTIPLE CANCER SUBSTANCE NOTES: Contair | ChemSec - SIN Lis EU - Annex VI CMF ns less than 3% DMSO e | Rs | Toxicant Carcinogen Catego | | | |
|--|--|---|--------------------------------------|---|--|--|
| | | | | | | |
| SUBSTANCE NOTES: Contair | ns less than 3% DMSO e | extractables - not co | | Carcinogen Category 1B - Presumed Carcinogen based on animal evidence | | |
| | | | onsidered a carcinogen or mutage | ən. | | |
| STYRENE BUTADIENE RUBE | STYRENE BUTADIENE RUBBER (SBR) | | | ID: 9003-55-8 | | |
| %: 1.0000 - 5.0000 GS | S: LT-UNK | RC: None | NANO: NO | NANO: NO ROLE: Flexibility | | |
| HAZARDS: | AGENCY(IES) WITH WARNINGS: | | | | | |
| None Found | No warnings found on HPD Priority lists | | | | | |
| SUBSTANCE NOTES: | | | | | | |
| QUARTZ | ID: 14808-60-7 | | | | | |
| %: Impurity/Residual GS | S: LT-1 | RC: None | NANO: NO | ROLE: Impurity/Residual | | |
| HAZARDS: | | AG | ENCY(IES) WITH WARNINGS: | | | |
| CANCER | US CDC - Occupational Carcinogens Occupational Carcinogen | | inogen | | | |
| CANCER | CA EPA - Prop 65 | | Carcinogen - speci exposure route | Carcinogen - specific to chemical form or exposure route | | |
| CANCER | IARC Group 1: Agent is carcinogenic to human inhaled from occupational sources | | | | | |
| CANCER | US NIH - Report on Carcinogens | | | Known to be Human Carcinogen (respirable size - occupational setting) | | |
| CANCER | МАК | K Carcinogen Group 1 - Substances that cause cancer in man | | 1 - Substances that cause | | |
| SUBSTANCE NOTES: This su | bstance is encapsulated | in the membrane. | | | | |
| SULFUR | | | ID: 7704-34-9 | | | |
| %: Impurity/Residual GS | S: LT-UNK | RC: None | NANO: NO | ROLE: Impurity/Residual | | |
| HAZARDS: | AGENCY(IES) WITH WARNINGS: | | | | | |
| SKIN IRRITATION | EU - R-phrases R38 - Irritating to skin | | | | | |

SUBSTANCE NOTES:

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.



This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

Section 5: General Notes

MANUFACTURER INFORMATION

MANUFACTURER: Henry Company

ADDRESS: 999 N. Sepulveda Blvd. Suite 800 El Segundo, CA 90245 USA

WEBSITE: www.henry.com

CONTACT NAME: Whitney Randall TITLE: Director, Regulatory Compliance Systems PHONE: 484-557-1247 EMAIL: wrandall@henry.com

KEY

OSHA MSDSOccupational Safety and Health Administration Material Safety Data SheetGHS SDSGlobally Harmonized System of Classi cation and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming MAM Mammalian/systemic/organ toxicity MUL Multiple hazards NEU Neurotoxicity OZO Ozone depletion PBT Persistent Bioaccumulative Toxic PHY Physical Hazard (reactive)
REP Reproductive toxicity
RES Respiratory sensitization
SKI Skin sensitization/irritation/corrosivity
LAN Land Toxicity
NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement) BM-2
Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspeci ed (insu cient data to benchmark)

LAN Land Toxicity NF Not found on Priority Hazard Lists

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1 LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark) UNK Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial) PostC Postconsumer Both Both Preconsumer and Postconsumer Unk Inclusion of recycled content is unknown None Does not include recycled content

Other

Nano Composed of nanoscale particles or nanotechnology

Declaration Level

Self-declared Manufacturer's self-declaration (First Party) Independent Lab Manufacturer's self-declaration using results from an independent lab Second Party Verification by trade association or other interested party Third Party Verification by independent certifier Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator, and when available, full GreenScreen assessments. The HPD Open Standard does not provide an assessment of health impacts throughout the product life cycle. It does not provide an assessment of exposure or risk associated with product handling or use. It also does not address potential health impacts of: (i) substances used or created during the manufacturing process unless they remain in the final product, or (ii) substances created after the product is delivered for end use (e.g., if the product burns, degrades, or otherwise changes chemical composition).

The HPD Open Standard was created and is maintained and evolved by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry. The HPD Collaborative is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

A disclosure completed in compliance with the HPD Open Standard is referred to as a "Health Product Declaration," or "HPD." The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD Open Standard noted.