# 307 Fibered Asphalt Emulsion by Henry Company

CLASSIFICATION: 07 26 16.00

PRODUCT DESCRIPTION: HENRY 307 FIBERED ASPHALT EMULSION IS A PREMIUM, VERSATILE COATING FOR THE PROTECTION OF ROOFING MATERIALS, METAL, AND MASONRY SURFACES. SOLVENT-FREE, IT IS MADE FROM ASPHALT EMULSIFIED WITH BENTONITE CLAY, INORGANIC FIBERS, AND WATER. HENRY 307 FIBERED ASPHALT EMULSION IS COLD-APPLIED, CORROSION-RESISTANT, AND WATERPROOF WHEN DRY. IT DOES NOT CRACK, "ALLIGATOR," RUN, OR SAG UNDER EXTREME WEATHER CONDITIONS AND RESISTS MOST CORROSIVE FUMES AND SPRAY.

# Health Product Declaration v2.0

created via: HPDC Online Builder

## Section 1: Summary

CONTENT

INVENTORY

Threshold per

material

O Other

• 100 ppm

**O** 1,000 ppm

Per GHS SDS

• Per OSHA MSDS

### Based on the selected Content Inventory Threshold:

impurities	Characterized	Ο	0
considered in	Are the Percent Weight and Role provided for all substances?	Yes	No
1 of 1 materials • see Section 2: Material Notes • see Section 5: General Notes	Screened Are all substances screened using Priority Hazard Lists with results disclosed?	<b>⊙</b> Yes	<b>O</b> No
	Identified Are all substances disclosed by Name (Specific or Generic) and Identifier?	<b>⊙</b> Yes	<b>O</b> No

### CONTENT IN DESCENDING ORDER OF QUANTITY

Residuals and

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

ASPHALT EMULSION [ WATER BM-4 ASPHALT LT-1 | CAN KAOLIN CLAY LT-UNK | CAN BENTONITE LT-UNK MIXTURE- 5-CHLORO-2-METHYL-2,3-DIHYDROISOTHIAZOL-3-ONE [26172-55-4] AND 2-METHYL-2,3-DIHYDROISOTHIAZOL-3-ONE [2682-20-4] MIXTURE IN RATIO 3:1 (SH) LT-UNK | SKI QUARTZ LT-1 | CAN ] Number of Greenscreen BM-4/BM3 contents.......... 1

Contents highest concern GreenScreen Benchmark or List translator Score...... LT-1 Nanomaterial..... No

INVENTORY AND SCREENING NOTES:

#### VOLATILE ORGANIC COMPOUND (VOC) CONTENT

 Material (g/l): 0
 Regulatory (g/l):

 Does the product contain exempt VOCs: No

 Are ultra-low VOC tints available: N/A

#### CERTIFICATIONS AND COMPLIANCE

No certifications have been added to this HPD.

 Self-Published\* VERIFIER:
 Third Party Verified VERIFICATION #: \*See HPDC website for details SCREENING DATE: January 29, 2017 RELEASE DATE: January 31, 2017

EXPIRY DATE\*: January 29, 2020 \* or within 3 months of significant change in product conten This section lists materials in a product and the substances in each material based on the Inventory Threshold for each material. If residuals or impurities from the manufacturing or extraction processes are considered for a material, these are inventoried and characterized to the extent described in the Material and/or General Notes. Chemical substances are screened against the HPD Priority Hazard Lists for human and environmental health impacts. Screening is based on best available information; "Not Found" does not necessarily mean there is no potential hazard associated with the product or its contents. More information about Priority Hazard Lists and the GreenScreen can be found online: www.hpd-collaborative.org and www.greenscreenchemicals.org.

SPHALT EMULSION rentory Threshold: 100 ppm tterial Notes:	%: 100.0000 - 100.000 Residuals Considered:				
WATER		ID: 7732-18-5			
%: 40.0000 - 50.0000	GS: BM-4	RC: None	NANO: NO	ROLE: Solvent	
HAZARDS:		AGEN	CY(IES) WITH WARNINGS	:	
None Found		No wa	rnings found on HPD Priority	y lists	
SUBSTANCE NOTES:					
ASPHALT			ID: 8052-4	2-4	
%: 35.0000 - 45.0000	GS: LT-1	RC: None	NANO: NO	ROLE: Waterproofing/flexibility	
HAZARDS:		AGEN	CY(IES) WITH WARNINGS	:	
CANCER	IARC		Group 2b - Possi	ibly carcinogenic to humans	
CANCER	US CDC - Od	ccupational Carcinogens	Occupational Ca	rcinogen	
CANCER	МАК		Carcinogen Grou carcinogenic for	up 2 - Considered to be man	
SUBSTANCE NOTES: I/ that use.	ARC classifies asphalt a	as a carcinogen when used ir	road paving applications. T	his product is not intended for	
KAOLIN CLAY			ID: 1332-5	8-7	
%: 5.0000 - 10.0000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Thixotrope/film strengthener	
HAZARDS:		AGEN	CY(IES) WITH WARNINGS	:	
CANCER	МАК			up 3B - Evidence of carcinogenic ufficient for classification	
SUBSTANCE NOTES:					

BENTONITE		ID: 1302-78-9			
%: 1.0000 - 5.0000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Thixotrope/film strengthener	
HAZARDS:		AGENC	Y(IES) WITH WARNING	3:	
None Found	No warnings found on HPD Priority lists				
SUBSTANCE NOTES:					
		DISOTHIAZOL-3-ONE [2617; 2682-20-4] MIXTURE IN RAT			
%: 0.0010 - 0.0100	GS: LT-UNK	RC: None	NANO: NO	ROLE: Preservative	
HAZARDS:	AGENCY(IES) WITH WARNINGS:				
SKIN SENSITIZE	MAK Sensitizing Substance Sh - Danger of sensitization		stance Sh - Danger of skin		
SUBSTANCE NOTES:					
QUARTZ			ID: 14808	-60-7	
%: Impurity/Residual	GS: LT-1	RC: None	NANO: NO	ROLE: Impurity/Residual	
HAZARDS:		AGENC	Y(IES) WITH WARNING	3:	
CANCER	US CDC - Occupational Carcinogens		Occupational Carcinogen		
CANCER	CA EPA - Prop 65		Carcinogen - specific to chemical form or exposure route		
	IARC		Group 1: Agent is carcinogenic to humans - inhaled from occupational sources		
CANCER					
CANCER		ort on Carcinogens		man Carcinogen (respirable size -	

# Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

## Section 5: General Notes

### MANUFACTURER INFORMATION

### MANUFACTURER: Henry Company

ADDRESS: 999 N. Sepulveda Blvd. Suite 800 El Segundo, CA 90245 USA

WEBSITE: www.henry.com

CONTACT NAME: Whitney Randall TITLE: Director, Regulatory Compliance Systems PHONE: 484-557-1247 EMAIL: wrandall@henry.com

### KEY

OSHA MSDSOccupational Safety and Health Administration Material Safety Data SheetGHS SDSGlobally Harmonized System of Classi cation and Labeling of Chemicals Safety Data Sheet

### Hazard Types

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming MAM Mammalian/systemic/organ toxicity MUL Multiple hazards NEU Neurotoxicity OZO Ozone depletion PBT Persistent Bioaccumulative Toxic PHY Physical Hazard (reactive)
REP Reproductive toxicity
RES Respiratory sensitization
SKI Skin sensitization/irritation/corrosivity
LAN Land Toxicity
NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement) BM-2
Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspeci ed (insu cient data to benchmark)

**SKI** Skin sensitization/irritation/corrosivity **LAN** Land Toxicity **NF** Not found on Priority Hazard Lists

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1 LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark) UNK Unknown (no data on List Translator Lists)

**Recycled Types** 

PreC Preconsumer (Post-Industrial) PostC Postconsumer Both Both Preconsumer and Postconsumer Unk Inclusion of recycled content is unknown None Does not include recycled content

#### Other

Nano Composed of nanoscale particles or nanotechnology

### **Declaration Level**

Self-declared Manufacturer's self-declaration (First Party) Independent Lab Manufacturer's self-declaration using results from an independent lab Second Party Verification by trade association or other interested party Third Party Verification by independent certifier Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator, and when available, full GreenScreen assessments. The HPD Open Standard does not provide an assessment of health impacts throughout the product life cycle. It does not provide an assessment of exposure or risk associated with product handling or use. It also does not address potential health impacts of: (i) substances used or created during the manufacturing process unless they remain in the final product, or (ii) substances created after the product is delivered for end use (e.g., if the product burns, degrades, or otherwise changes chemical composition).

The HPD Open Standard was created and is maintained and evolved by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry. The HPD Collaborative is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

A disclosure completed in compliance with the HPD Open Standard is referred to as a "Health Product Declaration," or "HPD." The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD Open Standard noted.