

# PRO-GRADE® 276 ELASTOMERIC WHITE ROOF COATING by Henry Company

Health Product  
Declaration v2.1

CLASSIFICATION: 07 14 16.00

created via: HPDC Online Builder

PRODUCT DESCRIPTION: PRO-GRADE® 276 ELASTOMERIC WHITE ROOF COATING IS A PREMIUM, HIGH SOLIDS WHITE ELASTOMERIC ROOF COATING FORMULATED WITH ACRYLIC POLYMERS, RESINS, FILLERS AND TITANIUM DIOXIDE PIGMENTS. DIRT PICK-UP RESISTANT (DPR) TECHNOLOGY PREVENTS DIRT AND DUST BUILDUP, KEEPING THE ROOF WHITER AND MORE REFLECTIVE LONGER. WHEN CURED, THE COATING FORMS A PERMEABLE MEMBRANE, WHICH PREVENTS LIQUID INFILTRATION, BUT ALLOWS MOISTURE VAPOR TO VENT, OR BREATHE OUT OF UNDERLYING SUBSTRATE.

## Section 1: Summary

## Nested Method / Product Threshold

### CONTENT INVENTORY

#### Inventory Reporting Format

- Nested Materials Method  
 Basic Method

#### Threshold Disclosed Per

- Material  
 Product

#### Threshold level

- 100 ppm  
 1,000 ppm  
 Per GHS SDS  
 Per OSHA MSDS  
 Other

#### Residuals/Impurities

Residuals/Impurities  
Considered in 1 of 1  
Materials

Explanation(s) provided  
for Residuals/Impurities?

- Yes  No

Are All Substances Above the Threshold Indicated:

**Characterized**  
Percent Weight and Role Provided?  Yes  No

**Screened**  
Using Priority Hazard Lists with  
Results Disclosed?  Yes  No

**Identified**  
Name and Identifier Provided?  Yes  No

### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**MATERIAL** | **SUBSTANCE** | *RESIDUAL OR IMPURITY*  
**GREENSCREEN SCORE** | HAZARD TYPE

6 **WHITE ROOF COATING** [ **WATER (WATER)** **BM-4** **LIMESTONE; CALCIUM CARBONATE** **LT-UNK** **2-PROPENOIC ACID, POLYMER WITH ETHENYLBENZENE AND 2-ETHYLHEXYL 2-PROPENOATE (2-PROPENOIC ACID, POLYMER WITH ETHENYLBENZENE AND 2-ETHYLHEXYL 2-PROPENOATE)** **LT-UNK** **TITANIUM DIOXIDE (TITANIUM DIOXIDE)** **LT-1** | **CAN** | **END CHLOROTHALONIL (CHLOROTHALONIL)** **LT-1** | **MAM** | **CAN** | **EYE** | **SKI** | **AQU** | **RES** | **END** | **MUL** **QUARTZ (QUARTZ)** **LT-1** | **CAN** ]

Number of Greenscreen BM-4/BM3 contents..... 1  
Contents highest concern GreenScreen  
Benchmark or List translator Score..... LT-1  
Nanomaterial..... No

### INVENTORY AND SCREENING NOTES:

No general notes.

### VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 0.0 Regulatory (g/l): 0.0  
Does the product contain exempt VOCs: No  
Are ultra-low VOC tints available: N/A

### CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

No certifications have been added to this HPD.

### CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed

Third Party Verified?

- Yes  
 No

PREPARER: Self-Prepared  
VERIFIER:  
VERIFICATION #:

SCREENING DATE: 2017-12-20  
PUBLISHED DATE: 2017-12-20  
EXPIRY DATE: 2020-12-20

## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-1-standard](http://www.hpd-collaborative.org/hpd-2-1-standard)

### 6 WHITE ROOF COATING %: 100.0000 - 100.0000 HPD URL: <https://builder-2.hpd-collaborative.org/v21/records/4301>

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals are based on average impurity levels in a given raw material in a mixture.

OTHER MATERIAL NOTES: None

#### WATER (WATER)

ID: 7732-18-5

%: 30.0000 - 40.0000 GS: BM-4 RC: None NANO: No ROLE: Solvent/Carrier

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: None

#### LIMESTONE; CALCIUM CARBONATE

ID: 1317-65-3

%: 30.0000 - 40.0000 GS: LT-UNK RC: None NANO: No ROLE: Filler/Film Strengthener

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Contained in a liquid - exposure to limestone dust is not possible based on the nature of the product.

#### 2-PROPENOIC ACID, POLYMER WITH ETHENYL BENZENE AND 2-ETHYLHEXYL 2-PROPENOATE (2-PROPENOIC ACID, POLYMER WITH ETHENYL BENZENE AND 2-ETHYLHEXYL 2-PROPENOATE)

ID: 25085-19-2

%: 15.0000 - 25.0000 GS: LT-UNK RC: None NANO: No ROLE: Waterproofing/Flexibility

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: None

#### TITANIUM DIOXIDE (TITANIUM DIOXIDE)

ID: 13463-67-7

#: 5.0000 - 10.0000

GS: LT-1

RC: None

NANO: No

ROLE: Pigment

HAZARDS:	AGENCY(IES) WITH WARNINGS:	
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value

SUBSTANCE NOTES: Not available as a respirable dust.

### CHLOROTHALONIL (CHLOROTHALONIL)

ID: 1897-45-6

#: 0.1000 - 0.5000

GS: LT-1

RC: None

NANO: No

ROLE: Preservative/mildew resistance

HAZARDS:	AGENCY(IES) WITH WARNINGS:	
MAMMALIAN	EU - R-phrases	R26 - Very Toxic by Inhalation
CANCER	EU - R-phrases	R40 - Limited Evidence of Carcinogenic Effects
EYE IRRITATION	EU - R-phrases	R41 - Risk of serious damage to eyes
SKIN SENSITIZE	EU - R-phrases	R43 - May cause sensitization by skin contact
ACUTE AQUATIC	EU - R-phrases	R50 - Very Toxic to Aquatic Organisms
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
CANCER	IARC	Group 2b - Possibly carcinogenic to humans
CANCER	CA EPA - Prop 65	Carcinogen
CHRON AQUATIC	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life M = 10
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
EYE IRRITATION	EU - GHS (H-Statements)	H318 - Causes serious eye damage
MAMMALIAN	EU - GHS (H-Statements)	H330 - Fatal if inhaled
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
SKIN SENSITIZE	MAK	Sensitizing Substance Sh - Danger of skin sensitization

SUBSTANCE NOTES: None

%: Impurity/Residual	GS: LT-1	RC: None	NANO: No	ROLE: Impurity/Residual
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
CANCER	US CDC - Occupational Carcinogens			Occupational Carcinogen
CANCER	CA EPA - Prop 65			Carcinogen - specific to chemical form or exposure route
CANCER	IARC			Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CANCER	US NIH - Report on Carcinogens			Known to be Human Carcinogen (respirable size - occupational setting)
CANCER	MAK			Carcinogen Group 1 - Substances that cause cancer in man
CANCER	New Zealand - GHS			6.7A - Known or presumed human carcinogens
CANCER	Australia - GHS			H350 - May cause cancer

SUBSTANCE NOTES: This material is not available in respirable form.

### Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

### Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

No accessories are required for this product.

### Section 5: General Notes

No general notes for this product

## MANUFACTURER INFORMATION

MANUFACTURER: **Henry Company**  
ADDRESS: **999 N. Sepulveda Blvd.**  
**Suite 800**  
**El Segundo CA 90245, USA**  
WEBSITE: **www.henry.com**

CONTACT NAME: **Whitney Randall**  
TITLE: **Director, Regulatory Compliance Systems**  
PHONE: **484-557-1247**  
EMAIL: **wrandall@henry.com**

## KEY

**OSHA MSDS** Occupational Safety and Health Administration Material Safety Data Sheet  
**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

### Hazard Types

<b>AQU</b> Aquatic toxicity	<b>GLO</b> Global warming	<b>PHY</b> Physical Hazard (reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive toxicity
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple hazards	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>OZO</b> Ozone depletion	<b>LAN</b> Land Toxicity
<b>GEN</b> Gene mutation	<b>PBT</b> Persistent Bioaccumulative Toxic	<b>NF</b> Not found on Priority Hazard Lists

### GreenScreen (GS)

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-P1</b> List Translator Possible Benchmark 1
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-1</b> List Translator Likely Benchmark 1
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	<b>LT-UNK</b> List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	<b>NoGS</b> Unknown (no data on List Translator Lists)
<b>BM-U</b> Benchmark Unspecified (insufficient data to benchmark)	

### Recycled Types

**PreC** Preconsumer (Post-Industrial)  
**PostC** Postconsumer  
**Both** Both Preconsumer and Postconsumer  
**Unk** Inclusion of recycled content is unknown  
**None** Does not include recycled content

### Other Terms

#### Inventory Methods:

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available,*

full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.