

Pro-Grade® 285 Fast Set by Henry Company

CLASSIFICATION: 07 14 16.00

PRODUCT DESCRIPTION: PRO-GRADE® 285 FAST SET ACRYLIC ELASTOMERIC COATING IS A COLD-APPLIED COATING FOR ROOFS WHERE A BREATHER COATING IS DESIRED. USED AS REFLECTIVE SURFACE COATINGS OVER SPF, THESE COATINGS CAN BE USED TO ACHIEVE A CLASS A ROOFING SYSTEM IN ACCORDANCE WITH UNDERWRITERS LABORATORIES 790.

Health Product Declaration v2.0

created via: HPDC Online Builder

Section 1: Summary

CONTENT INVENTORY

- Threshold per material
- 100 ppm
 - 1,000 ppm
 - Per GHS SDS
 - Per OSHA MSDS
 - Other

- Residuals and impurities considered in 1 of 1 materials
- see Section 2: Material Notes
 - see Section 5: General Notes

Based on the selected Content Inventory Threshold:

Characterized.....	<input checked="" type="radio"/>	<input type="radio"/>
Are the Percent Weight and Role provided for all substances?	Yes	No
Screened.....	<input checked="" type="radio"/>	<input type="radio"/>
Are all substances screened using Priority Hazard Lists with results disclosed?	Yes	No
Identified.....	<input type="radio"/>	<input checked="" type="radio"/>
Are all substances disclosed by Name (Specific or Generic) and Identifier?	Yes	No

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

285 ACRYLIC ELASTOMERIC COATING [ALUMINA TRIHYDRATE **BM-2** | RES WATER **BM-4** 2-PROPENOIC ACID, POLYMER WITH ETHENYL BENZENE AND 2-ETHYLHEXYL 2-PROPENOATE **LT-UNK** TITANIUM DIOXIDE **LT-1** | CAN ZINC OXIDE **BM-1** | AQU | RES | MUL PROPYLENE GLYCOL **BM-2** HYDROXYETHYL CELLULOSE **LT-UNK** OCTHILINONE **LT-P1** | MAM | SKI | AQU | MUL 1,3-PENTANEDIOL, 2,2,4-TRIMETHYL-, MONOISOBUTYRATE **LT-UNK** | CAN ACETIC ACID, SODIUM SALT **LT-UNK**]

Number of Greenscreen BM-4/BM3 contents..... 1
Contents highest concern GreenScreen Benchmark or List translator Score..... BM-1
Nanomaterial..... No

INVENTORY AND SCREENING NOTES:

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 10 Regulatory (g/l):
Does the product contain exempt VOCs: No
Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE

No certifications have been added to this HPD.

<input checked="" type="radio"/> Self-Published*	VERIFIER:	SCREENING DATE: January 29, 2017	EXPIRY DATE*: January 29, 2020
<input type="radio"/> Third Party Verified	VERIFICATION #:	RELEASE DATE: January 29, 2017	* or within 3 months of significant change in product contents

*See HPDC website for details



Section 2: Content in Descending Order of Quantity

This section lists materials in a product and the substances in each material based on the Inventory Threshold for each material. If residuals or impurities from the manufacturing or extraction processes are considered for a material, these are inventoried and characterized to the extent described in the Material and/or General Notes. Chemical substances are screened against the HPD Priority Hazard Lists for human and environmental health impacts. Screening is based on best available information; "Not Found" does not necessarily mean there is no potential hazard associated with the product or its contents. More information about Priority Hazard Lists and the GreenScreen can be found online: www.hpd-collaborative.org and www.greenscreenchemicals.org.

285 ACRYLIC ELASTOMERIC COATING %: 100.0000 - 100.0000 HPD URL:

Inventory Threshold: 100 ppm

Residuals Considered: Yes

Material Notes:

ALUMINA TRIHYDRATE

ID: 21645-51-2

%: 25.0000 - 35.0000

GS: BM-2

RC: None

NANO: NO

ROLE: Filler/film strengthener

HAZARDS:

AGENCY(IES) WITH WARNINGS:

RESPIRATORY

AOEC - Asthmagens

Asthmagen (ARs) - sensitizer-induced - inhalable forms only

SUBSTANCE NOTES:

WATER

ID: 7732-18-5

%: 25.0000 - 35.0000

GS: BM-4

RC: None

NANO: NO

ROLE: Solvent

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

2-PROPENOIC ACID, POLYMER WITH ETHENYLBENZENE AND 2-ETHYLHEXYL 2-PROPENOATE

ID: 25085-19-2

%: 20.0000 - 30.0000

GS: LT-UNK

RC: None

NANO: NO

ROLE: Polymer film

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

TITANIUM DIOXIDE

ID: 13463-67-7

%: 5.0000 - 10.0000

GS: LT-1

RC: None

NANO: NO

ROLE: Pigment

HAZARDS:**AGENCY(IES) WITH WARNINGS:**

CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value

SUBSTANCE NOTES: Not present in a respirable form.

ZINC OXIDE

ID: 1314-13-2

%: 1.0000 - 5.0000	GS: BM-1	RC: None	NANO: NO	ROLE: Fungus, mold, mildew resistance
--------------------	----------	----------	----------	---------------------------------------

HAZARDS:**AGENCY(IES) WITH WARNINGS:**

ACUTE AQUATIC	EU - R-phrases	R50 - Very Toxic to Aquatic Organisms
RESPIRATORY	AOEC - Asthmagens	Asthmagen (ARs) - sensitizer-induced - inhalable forms only
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
CHRON AQUATIC	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

SUBSTANCE NOTES: Not present in a respirable form.

PROPYLENE GLYCOL

ID: 57-55-6

%: 1.0000 - 5.0000	GS: BM-2	RC: None	NANO: NO	ROLE: Coalescing agent
--------------------	----------	----------	----------	------------------------

HAZARDS:**AGENCY(IES) WITH WARNINGS:**

None Found	No warnings found on HPD Priority lists			
------------	---	--	--	--

SUBSTANCE NOTES:

HYDROXYETHYL CELLULOSE

ID: 9004-62-0

%: 0.1000 - 1.0000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Thixotrope
--------------------	------------	----------	----------	------------------

HAZARDS:**AGENCY(IES) WITH WARNINGS:**

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

OCTHILINONE

ID: 26530-20-1

%: 0.0100 - 0.1000

GS: LT-P1

RC: None

NANO: NO

ROLE: Preservative

HAZARDS:

AGENCY(IES) WITH WARNINGS:

MAMMALIAN	EU - R-phrases	R22 - Harmful if Swallowed
MAMMALIAN	EU - R-phrases	R23 - Toxic by Inhalation (gas, vapour, dust/mist)
MAMMALIAN	EU - R-phrases	R24 - Toxic in Contact with Skin
SKIN IRRITATION	EU - R-phrases	R34 - Causes burns
SKIN SENSITIZE	EU - R-phrases	R43 - May cause sensitization by skin contact
ACUTE AQUATIC	EU - R-phrases	R50 - Very Toxic to Aquatic Organisms
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
CHRON AQUATIC	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
MAMMALIAN	EU - GHS (H-Statements)	H311 - Toxic in contact with skin
SKIN IRRITATION	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
MAMMALIAN	EU - GHS (H-Statements)	H331 - Toxic if inhaled
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
SKIN SENSITIZE	MAK	Sensitizing Substance Sh - Danger of skin sensitization

SUBSTANCE NOTES:

1,3-PENTANEDIOL, 2,2,4-TRIMETHYL-, MONOISOBUTYRATE

ID: 25265-77-4

%: 0.0100 - 0.1000

GS: LT-UNK

RC: None

NANO: NO

ROLE: UV Stability

HAZARDS:

AGENCY(IES) WITH WARNINGS:

CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
--------	-----	--

SUBSTANCE NOTES:

%: Impurity/Residual	GS: LT-UNK	RC: None	NANO: NO	ROLE: Impurity/Residual
----------------------	------------	----------	----------	-------------------------

HAZARDS:

None Found

AGENCY(IES) WITH WARNINGS:

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.



Section 5: General Notes



MANUFACTURER INFORMATION

MANUFACTURER: Henry Company
 ADDRESS: 999 N. Sepulveda Blvd.
 Suite 800
 El Segundo, CA 90245
 USA
 WEBSITE: www.henry.com

CONTACT NAME: Whitney Randall
 TITLE: Director, Regulatory Compliance Systems
 PHONE: 484-557-1247
 EMAIL: wrandall@henry.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet
GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity	GLO Global warming	PHY Physical Hazard (reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive toxicity
DEV Developmental toxicity	MUL Multiple hazards	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	OZO Ozone depletion	LAN Land Toxicity
GEN Gene mutation	PBT Persistent Bioaccumulative Toxic	NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible Benchmark 1
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator Likely Benchmark 1
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
BM-1 Benchmark 1 (avoid - chemical of high concern)	UNK Unknown (no data on List Translator Lists)
BM-U Benchmark Unspecified (insufficient data to benchmark)	

Recycled Types

PreC Preconsumer (Post-Industrial)
PostC Postconsumer
Both Both Preconsumer and Postconsumer
Unk Inclusion of recycled content is unknown
None Does not include recycled content

Other

Nano Composed of nanoscale particles or nanotechnology

Declaration Level

Self-declared Manufacturer's self-declaration (First Party)
Independent Lab Manufacturer's self-declaration using results from an independent lab
Second Party Verification by trade association or other interested party
Third Party Verification by independent certifier
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator, and when available, full GreenScreen assessments. The HPD Open Standard does not provide an assessment of health impacts throughout the product life cycle. It does not provide an assessment of exposure or risk associated with product handling or use. It also does not address potential health impacts of: (i) substances used or created during the manufacturing process unless they remain in the final product, or (ii) substances created after the product is delivered for end use (e.g., if the product burns, degrades, or otherwise changes chemical composition).

The HPD Open Standard was created and is maintained and evolved by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry. The HPD Collaborative is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

A disclosure completed in compliance with the HPD Open Standard is referred to as a "Health Product Declaration," or "HPD." The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD Open Standard noted.